

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
Classification according to Directive 67/548/EEC or 1999/45/EC

Issue Date: 2010-06-29

Revision Date: 2015-05-14

Revision Number: 5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name AGITAN® A228
Product code U1A228

Contains Petroleum distillates, solvent dewaxed heavy paraffinic, Petroleum distillates, solvent dewaxed light paraffinic

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Anti-foaming agent (defoamer)
Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Manufacturer Munzing - Ultra Additives LLC.
1455 Broad Street
Bloomfield NJ 07003
United States

Email: info@munzing.us
Phone: 1-973-279-1306

Supplier Münzing Chemie GmbH
Münzingstrasse 2
74232 Abstatt
Germany

Email: info@munzing.com
Phone: +49 (0) 7131/987-0

1.4. Emergency telephone number

Emergency telephone CHEMTREC (24 hrs - for spill, leak or transportation incidents):
US: 1-800-424-9300
non-US: 1-703-527-3887

EU: +49 761 19240 (VIZ Freiburg)

Europe 112

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]
This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

2.2. Label Elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.3. Other hazards

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature of the product Petroleum oil-based mixture

Component	EC No.	CAS No	% [weight]	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.
Petroleum distillates, solvent dewaxed light paraffinic	265-159-2	64742-56-9	10 - 30	-	Carc. 1B (H350) L	No data available
Petroleum distillates, solvent dewaxed heavy paraffinic	265-169-7	64742-65-0	30 - 60		Carc. 1B (H350) L	No data available

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

Full text of H- and EUH-phrases: see section 16

Note

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fraction.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move victim to fresh air.
Ingestion	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician or poison control center immediately.
Self-Protection of the First Aider	Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray. Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides. Silicon dioxide.

5.3. Advice for firefighters

Advice for fire-fighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes and clothing.

Protective precautions Use personal protection equipment.

6.2. Environmental precautions

Environmental Precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for Containment Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Methods for Clean-Up Prevent product from entering drains. Pick up and transfer to properly labelled containers.

6.4. Reference to other sections

Reference to other sections See Sections 5 & 7 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Do not get in eyes, on skin, or on clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Specific Uses No information available.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.

Skin protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. PVC. Neoprene. PVA.

Respiratory protection If exposure limits are likely to be exceeded or if irritation or other symptoms are experienced, NIOSH/MSHA or EN 136 approved respiratory protection should be worn.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid
Appearance Opaque, Off-white
Odor Slight
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	No information available	No information available
Melting point/freezing point	No information available	No information available
Boiling point	No information available	No information available
Flash Point	> 150 °C	No information available
Evaporation rate	No information available	No information available
Flammability (solid, gas)	No information available	No information available
Flammability Limit in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor Pressure	No information available	No information available
Vapor density	No information available	No information available
Specific Gravity	0.85	No information available
Water Solubility	No information available	No information available
Solubility in other solvents	Emulsifiable	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	No information available	No information available
Decomposition temperature	No information available.	No information available
Viscosity	~500	No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

VOC content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under normal conditions.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

Conditions to Avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible Materials Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides. Silicon dioxide.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Eyes Contact with eyes may cause irritation. Avoid contact with eyes.

Skin Substance may cause slight skin irritation. Avoid contact with skin.

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion May be harmful if swallowed. Due to the viscosity, this product does not present an aspiration hazard.

Unknown acute toxicity 38.375% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 112,158.00 mg/kg
ATEmix (dermal) 5,157.00 mg/kg
ATEmix (inhalation-dust/mist) No data available

Component Information

Component	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, solvent	5000 mg/kg (Rat)	2000 mg/kg (Rabbit)	

dewaxed heavy paraffinic			
Polyalkylene glycol, alkyl ether	= 9100 mg/kg (Rat)	= 13340 mg/kg (Rabbit) = 21200 µL/kg (Rabbit)	

Skin Corrosion/Irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No information available.
Mutagenic effects	No information available.
Reproductive Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.
Carcinogenic effects	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Discharge into the environment must be avoided.

Unknown Aquatic Toxicity 24.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Component	Algae	Fish	Daphnia magna
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Polyalkylene glycol, alkyl ether	-	LC50: 20.6 mg/l (Pimphales promelas) LC50 (96h): > 500 m/L (golden orfe) LC50 (96h): 104 mg/L (Brachydanio rerio)	EC50: 450 mg/l (Daphnia magna) EC50 (48 h): >100 mg/l (Daphnia magna) LC50: 9.8 mg/l (Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability . Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation/Accumulation Not likely to bioaccumulate. .

12.4. Mobility in soil

Mobility in Environmental Media The product is insoluble and floats on water. .

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . Not applicable.

12.6. Other adverse effects

Other adverse effects . No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products	Contain and dispose of waste according to local regulations.
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal. Do not burn, or use a cutting torch on, the empty drum.
Waste codes / waste designations according to EWC / AVV	Not applicable.

Section 14: TRANSPORT INFORMATION

ADR/RID	Not regulated
IMDG/IMO	Not regulated
IATA	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

US TSCA	Complies
Australia (AICS)	Complies
Canada (DSL)	Complies
China (IECSC)	Complies
Europe (EINECS/ELINCS/NLP)	Complies
Japan (METI)	Complies
South Korea (KECL)	Complies
Philippines (PICCS)	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

WGK Classification (VwVwS) Water endangering class = 1 (self estimation)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

R65 - Harmful: may cause lung damage if swallowed

Full text of H-Statements referred to under section 3

H350 - May cause cancer if swallowed

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA - TWA (time-weighted average)

STEL - STEL (Short Term Exposure Limit)

Ceiling - Maximum limit value

* - Skin designation

Classification procedure Minimum classification

Issue Date: 2010-06-29

Revision Date: 2015-05-14

Reason for revision Update to Format, SDS sections updated, 15, 2.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet