

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issue Date: 2009-01-06

Revision Date: 2015-06-01

Revision Number: 6

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name FOAM BAN® 625
Product code U2625

Contains 5-Decyne-4,7-diol, 2,4,7,9-tetramethyl-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Anti-foaming agent (defoamer)
Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Manufacturer Munzing - Ultra Additives LLC.
1455 Broad Street
Bloomfield NJ 07003
United States

Email: info@munzing.us
Phone: 1-973-279-1306

Supplier Münzing Chemie GmbH
Münzingstrasse 2
74232 Abstatt
Germany

Email: info@munzing.com
Phone: +49 (0) 7131/987-0

1.4. Emergency telephone number

Emergency telephone CHEMTREC (24 hrs - for spill, leak or transportation incidents):
US: 1-800-424-9300
non-US: 1-703-527-3887

EU: +49 761 19240 (VIZ Freiburg)

Europe 112

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|-----------------------------------|---------------------|
| Serious eye damage/eye irritation | Category 2 - (H319) |
| Skin Sensitization | Category 1 - (H317) |

2.2. Label Elements

**Signal Word**

Warning

Hazard Statements

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P321 - Specific treatment (see FIRST AID on this label)

2.3. Other hazards

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures**Chemical nature of the product** Aqueous dispersion

| Component | EC No. | CAS No | % [weight] | Classification according to Directive 67/548/EEC or 1999/45/EC | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH No. |
|---|-----------|------------|------------|--|--|-------------------|
| 5-Decyne-4,7-diol, 2,4,7,9-tetramethyl- | 204-809-1 | 126-86-3 | 1 - 5 | Xi;R41 R43 N;R52-53 | Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Chronic 3 (H412) | No data available |
| Polyethylene glycol | Polymer | 25322-68-3 | 10 - 30 | - | - | No data available |

Full text of H- and EUH-phrases: see section 16

Note

Substance with a Community workplace exposure limit.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention. |
| Skin Contact | Wash off immediately with soap and plenty of water. |
| Inhalation | Move victim to fresh air. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Self-Protection of the First Aider | Use personal protection equipment. |

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray. Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam. Water mist may be used to cool closed containers.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products Thermal decomposition can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Advice for fire-fighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes and clothing.

Protective precautions Use personal protection equipment.

6.2. Environmental precautions

Environmental Precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for Containment Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Methods for Clean-Up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See Sections 5 & 7 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Use personal protection equipment. Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Slippery, can cause falls if walked on.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.

7.3. Specific end use(s)

Specific Uses No information available.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Exposure limits**

| Component | Austria | Switzerland | Poland | Norway | Ireland |
|-----------------------------------|---|-----------------------------|--------|--------|---------|
| Polyethylene glycol 25322-68-3 | STEL: 4000 mg/m ³ TWA: 1000 mg/m ³ | TWA: 1000 mg/m ³ | - | - | - |

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection Ensure that eyewash stations and safety showers are close to the workstation location. Tight sealing safety goggles.

Skin protection Wear suitable protective clothing and gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical State Liquid
Appearance Translucent, white
Odor Slight
Odor threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks/ Method</u> |
|-------------------------------------|--------------------------|--------------------------|
| pH | 8.0 | No information available |
| Melting point/freezing point | No information available | No information available |
| Boiling point | 100 °C | No information available |
| Flash Point | > 100 °C | No information available |
| Evaporation rate | No information available | No information available |
| Flammability (solid, gas) | No information available | No information available |
| Flammability Limit in Air | | |
| Upper flammability limit | No information available | |
| Lower flammability limit | No information available | |

| | | |
|--|---------------------------|--------------------------|
| Vapor Pressure | No information available | No information available |
| Vapor density | No information available | No information available |
| Specific Gravity | 1.04 | No information available |
| Water Solubility | No information available | No information available |
| Solubility in other solvents | Dispersible | No information available |
| Partition coefficient: n-octanol/water | No information available | No information available |
| Autoignition temperature | No information available | No information available |
| Decomposition temperature | No information available. | No information available |
| Viscosity | <3000 cps@25C | No information available |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |

9.2. Other information

VOC content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under normal conditions.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

Conditions to Avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible Materials Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides. Silicon dioxide. Formaldehyde.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects**Acute Toxicity****Product Information**

| | |
|-------------------|---|
| Eyes | Causes serious eye irritation. Avoid contact with eyes. |
| Skin | May cause sensitization by skin contact. Avoid contact with skin. |
| Inhalation | Health injuries are not known or expected under normal use. |
| Ingestion | Health injuries are not known or expected under normal use. |

Unknown acute toxicity 9.14% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 15,692.00 mg/kg
 ATEmix (dermal) 26,111.00 mg/kg
 ATEmix (inhalation-dust/mist) 1,373.00 mg/L

Component Information

| Component | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|----------------------|--|--------------------------------------|
| 5-Decyne-4,7-diol, 2,4,7,9-tetramethyl- | | | >20 mg/L,(Rat) |
| Polyethylene glycol | = 28 g/kg (Rat) | > 20 g/kg (Rabbit) > 20 mL/kg (Rabbit) | >13 ppm (Rat) |
| Polyoxyalkylene polymer | > 2 g/kg (Rat) | | |
| Poly(dimethylsiloxane) | > 17 g/kg (Rat) | > 2 g/kg (Rabbit) | |
| Siloxanes and silicones, dimethyl, hydroxy-terminated | | > 16 mL/kg (Rabbit) | > 8750 mg/m ³ (Rat) 7 h |
| Polyethylene-polypropylene glycol | = 5700 mg/kg (Rat) | | |

Skin Corrosion/Irritation No information available.

Eye damage/irritation No information available.

Sensitization May cause an allergic skin reaction.

Mutagenic effects No information available.

Reproductive Effects No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration Hazard No information available.

Carcinogenic effects No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Information given is based on data on the components and the ecotoxicology of similar products.

| Component | Algae | Fish | Daphnia magna |
|---|--|---|---|
| 5-Decyne-4,7-diol, 2,4,7,9-tetramethyl-126-86-3 | EC50 (72h): 82 mg/l (Senastrum capricornutum) EC50 (72h): 112 mg/l (Senastrum costatum) | LC50 (24 h) : 42 mg/l Carp, (Cyprinus carpio) LC50 (96 h) : 36 mg/l Fathead minnow (Pimephales promelas) LC50 (96 h) : 42 mg/l Carp (Cyprinus carpio) LC50 (96 h) : 43 mg/l Species : Turbot(Scophthalmus maximus) | EC50 (48 h): 91 mg/l (Daphnia magna) LC50 (48 h): 166 mg/l (Daphnia tonsa) |
| Polyethylene glycol 25322-68-3 | - | LC50 (96 h): > 73,000 mg/l (Fathead minnow (Pimephales promelas)) LC50: >500 mg/L (Golden orfe) | LC50: : > 10,000 mg/l (Daphnia magna) |
| Polyoxyalkylene polymer | - | LC50 (96h): >100 mg/L | EC50 (48 h): > 100 mg/l |

| | | | |
|--|------------------------|---|-------------------------|
| | | (Rainbow trout) | |
| Polyethylene-polypropylene glycol 9003-11-6 | EC50, 48 hr: >100 mg/L | LC50: >100 mg/l (Golden orfe), 96 hr | EC50 (48 h): > 100 mg/l |

Unknown Aquatic Toxicity 95.68131% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability . No information available.

12.3. Bioaccumulative potential

Bioaccumulation/Accumulation . No information available.

12.4. Mobility in soil

Mobility in Environmental Media . No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . Not applicable.

12.6. Other adverse effects

Other adverse effects . No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products Contain and dispose of waste according to local regulations.

Contaminated packaging Empty remaining contents.

Waste codes / waste designations according to EWC / AVV Not applicable.

Other information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

IMDG/IMO Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

US TSCA Complies
Australia (AICS) Complies

| | |
|----------------------------|----------------------|
| Canada (DSL) | Complies |
| China (IECSC) | Complies |
| Europe (EINECS/ELINCS/NLP) | Complies |
| Japan (METI) | Complies |
| South Korea (KECL) | Contact manufacturer |
| Philippines (PICCS) | Contact manufacturer |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

WGK Classification (VwVwS) Water endangering class = 1 (self estimation)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of R-phrases referred to under sections 2 and 3**

R41 - Risk of serious damage to eyes
R43 - May cause sensitization by skin contact
R52 - Harmful to aquatic organisms
R53 - May cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under section 3

H318 - Causes serious eye damage
H317 - May cause an allergic skin reaction
H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA - TWA (time-weighted average)
STEL - STEL (Short Term Exposure Limit)
Ceiling - Maximum limit value
* - Skin designation

Classification procedure Minimum classification

Issue Date: 2009-01-06
Revision Date: 2015-06-01
Reason for revision Update to Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet