

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
Classification according to Directive 67/548/EEC or 1999/45/EC

Issue Date: 2009-01-06

Revision Date: 2015-05-31

Revision Number: 9

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name FOAM BAN® MS-909B
Product code U2909B

Contains 5-Decyne-4,7-diol, 2,4,7,9-tetramethyl-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Anti-foaming agent (defoamer)
Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Manufacturer Munzing - Ultra Additives LLC.
1455 Broad Street
Bloomfield NJ 07003
United States

Email: info@munzing.us
Phone: 1-973-279-1306

Supplier Münzing Chemie GmbH
Münzingstrasse 2
74232 Abstatt
Germany

Email: info@munzing.com
Phone: +49 (0) 7131/987-0

1.4. Emergency telephone number

Emergency telephone CHEMTREC (24 hrs - for spill, leak or transportation incidents):
US: 1-800-424-9300
non-US: 1-703-527-3887

EU: +49 761 19240 (VIZ Freiburg)

Europe 112

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation	Category 2 - (H319)
Skin Sensitization	Category 1 - (H317)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

Symbol

Xi - Irritant

R-code(s)

R43

2.2. Label Elements**Signal Word**

Warning

Hazard Statements

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P321 - Specific treatment (see FIRST AID on this label)

2.3. Other hazards

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.2 Mixtures

Chemical nature of the product Polymer dispersion

Component	EC No.	CAS No	% [weight]	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.
5-Decyne-4,7-diol, 2,4,7,9-tetramethyl-	204-809-1	126-86-3	1 - 5	Xi;R41 R43 N;R52-53	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Chronic 3 (H412)	No data available
Propylene Glycol	200-338-0	57-55-6	1 - 5	-	-	No data available

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Note

Substance with a Community workplace exposure limit.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.
Inhalation	Move victim to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Self-Protection of the First Aider	Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects	No information available.
--	---------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water mist may be used to cool closed containers. Water spray. Carbon dioxide (CO ₂). Dry chemical. Alcohol resistant foam.
Unsuitable Extinguishing Media	No information available.

5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products	Thermal decomposition can lead to release of irritating gases and vapours.
--------------------------------------	--

5.3. Advice for firefighters

Advice for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
---------------------------------	--

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protection equipment. Avoid contact with skin, eyes and clothing.
Protective precautions	Use personal protection equipment.

6.2. Environmental precautions

Environmental Precautions	Avoid release to the environment.
----------------------------------	-----------------------------------

6.3. Methods and material for containment and cleaning up

Methods for Containment	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to
--------------------------------	--

local / national regulations (see section 13).

Methods for Clean-Up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See Sections 5 & 7 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Use personal protection equipment. Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Slippery, can cause falls if walked on.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.

7.3. Specific end use(s)

Specific Uses No information available.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

Component	EU	United Kingdom	France	Spain	Germany
Propylene Glycol 57-55-6	-	TWA: 10 mg/m ³ TWA: 150 ppm TWA: 474 mg/m ³	-	-	-
Component	Austria	Switzerland	Poland	Norway	Ireland
Propylene Glycol 57-55-6	-	-	-	TWA: 25 ppm TWA: 79 mg/m ³	TWA: 150 ppm TWA: 470 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1410 mg/m ³ STEL: 30 mg/m ³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection Ensure that eyewash stations and safety showers are close to the workstation location. Tight sealing safety goggles.

Skin protection Wear suitable protective clothing and gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use

NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Translucent, Off-white
Odor	Slight
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	8.0	No information available
Melting point/freezing point	No information available	No information available
Boiling point	100 °C / 212 °F	No information available
Flash Point	> 93.3 °C / 212 °F	No information available
Evaporation rate	No information available	No information available
Flammability (solid, gas)	No information available	No information available
Flammability Limit in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor Pressure	No information available	No information available
Vapor density	No information available	No information available
Specific Gravity	1.02	No information available
Water Solubility	No information available	No information available
Solubility in other solvents	Dispersible	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	No information available	No information available
Decomposition temperature	No information available.	No information available
Viscosity	<4000 cps@25C	No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

VOC content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under normal conditions.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

Conditions to Avoid Keep at temperatures above 0°C.

10.5. Incompatible materials

Incompatible Materials Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides. Silicon dioxide. Formaldehyde.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Eyes Causes serious eye irritation. Avoid contact with eyes.

Skin May cause sensitization by skin contact. Avoid contact with skin.

Inhalation Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Unknown acute toxicity 14.34% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 7,767.00 mg/kg
ATEmix (dermal) 20,853.00 mg/kg
ATEmix (inhalation-dust/mist) 666.40 mg/L

Component Information

Component	Oral LD50	Dermal LD50	Inhalation LC50
5-Decyne-4,7-diol, 2,4,7,9-tetramethyl-			>20 mg/L,(Rat)
Polyalkylene glycol	> 2 g/kg (Rat)		
Propylene Glycol	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	
Organosiloxane polymer	> 17 g/kg (Rat)	> 2 g/kg (Rabbit)	
Polyalkylene glycol	= 5700 mg/kg (Rat)		

Skin Corrosion/Irritation No information available.

Eye damage/irritation No information available.

Sensitization May cause an allergic skin reaction.

Mutagenic effects No information available.

Reproductive Effects No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration Hazard No information available.

Carcinogenic effects No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Information given is based on data on the components and the ecotoxicology of similar products.

Component	Algae	Fish	Daphnia magna
5-Decyne-4,7-diol, 2,4,7,9-tetramethyl- 126-86-3	EC50 (72h): 82 mg/l (Selenastrum capricornutum) EC50 (72h): 112 mg/l (Selenastrum costatum)	LC50 (24 h) : 42 mg/l Carp, (Cyprinus carpio) LC50 (96 h) : 36 mg/l Fathead minnow (Pimephales promelas) LC50 (96 h) : 42 mg/l Carp (Cyprinus carpio) LC50 (96 h) : 43 mg/l Species : Turbot(Scophthalmus maximus)	EC50 (48 h): 91 mg/l (Daphnia magna) LC50 (48 h): 166 mg/l (Daphnia tonsa)
Polyalkylene glycol	-	LC50 (96h): >100 mg/L (Rainbow trout)	EC50 (48 h): > 100 mg/l
Propylene Glycol 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	LC50: 710-55770 mg/L, 96h (Fathead minnow)	EC50: > 10000 mg/L 48 h
Dimethyl silicone polymer with silica 67762-90-7	-	LC50: >10000 mg/l, 96h	EC50: >10000 mg/l, 24h
Organosiloxane polymer	-	-	EC50: 220-520 mg/L
Polyalkylene glycol	EC50, 48 hr: >100 mg/L	LC50: >100 mg/l (Golden orfe), 96 hr	EC50 (48 h): > 100 mg/l

Unknown Aquatic Toxicity

62.05678% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability . No information available.

12.3. Bioaccumulative potential

Bioaccumulation/Accumulation . No information available.

12.4. Mobility in soil

Mobility in Environmental Media . No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . Not applicable.

12.6. Other adverse effects

Other adverse effects . No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products

Contain and dispose of waste according to local regulations.

Contaminated packaging Empty remaining contents.

Waste codes / waste designations according to EWC / AVV Not applicable.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

IMDG/IMO Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

US TSCA	Complies
Australia (AICS)	Complies
Canada (DSL)	Complies
China (IECSC)	Complies
Europe (EINECS/ELINCS/NLP)	Complies
Japan (METI)	Complies
South Korea (KECL)	Contact manufacturer
Philippines (PICCS)	Contact manufacturer
New Zealand	Contact manufacturer

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

WGK Classification (VwVwS) Water endangering class = 1 (self estimation)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet**Full text of R-phrases referred to under sections 2 and 3**

R41 - Risk of serious damage to eyes

R43 - May cause sensitization by skin contact

R52 - Harmful to aquatic organisms

R53 - May cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under section 3

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA - TWA (time-weighted average)

STEL - STEL (Short Term Exposure Limit)

Ceiling - Maximum limit value

* - Skin designation

Classification procedure Minimum classification

Issue Date:	2009-01-06
Revision Date:	2015-05-31
Reason for revision	Update to Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet