

# FOAM BAN<sup>®</sup> 2642

## TECHNICAL INFORMATION

### Defoamer for cleaners

<b>Composition:</b>	Blend of polyoxyalkylene technology	
<b>Appearance:</b>	liquid	
<b>Colour:</b>	clear colorless	
<b>Typical Properties:</b>	Active Ingredients:	approx. 95.8%
	Consistency:	approx. 748 mPas / cps
	Density:	approx. 8.56 lbs/gal

*This information is intended as a guideline only and should not be used to issue specifications. Slight deviations do not affect application and capability of the product. For specifications please consult the Certificate of Analysis.*

**Properties/applications:** Foam Ban 2642 is a non-silicone, non-silica, non-mineral oil cloud point defoamer.

Main applications:

- Industrial cleaners
- Stable under extreme pH conditions

**Recommended levels/use:** The properties and performance of a defoamer are greatly dependent upon the specific formulation in which it is utilized and, consequently, should always be tested (possibly at different treatment levels, temperatures, and/or time intervals) to verify performance prior to use. A starting dosage level between 0.1% to 1.0%, based on the weight of the formulation, is recommended.

**Storage/handling:** Always mix prior to use as the product tends to separate slightly. Mix product and retest for quality after one year from the date of manufacture. Store between 5°C and 35°C. The minimum shelf life in closed containers is 12 months from the date of manufacture. Refer to Material Safety Data Sheet for additional handling information.

**Packaging:** Drums holding 390 lbs/ 181 kg net or 5 gallon pail holding 42 lbs/ 19 kg net.