

FOAM BAN[®] CL-100E

TECHNICAL INFORMATION

Defoamer for industrial fluids

Composition:	Blend of 3-dimensional siloxane and polyalkylene technology	
Appearance:	liquid	
Colour:	opaque white	
Typical Properties:	Active Ingredients:	approx. 52.5%
	Consistency/Viscosity:	approx. 4,250 mPas / cps

This information is intended as a guideline only and should not be used to issue specifications. Slight deviations do not affect application and capability of the product. For specifications please consult the Certificate of Analysis.

Properties/applications: FOAM BAN CL-100E is a universal foam control agent based upon 3-dimensional siloxane technology, which is specifically adapted for the optimum balance of defoamer efficiency, concentrate stability, and value. It also offers the best compatibility in cleaner formulations.

Main applications:

- Industrial cleaners
- Aqueous cleaners (alkaline/acidic base)

Recommended levels/use: The properties and performance of a defoamer are greatly dependent upon the specific formulation in which it is utilized and, consequently, should always be tested (possibly at different treatment levels, temperatures, and/or time intervals) to verify performance prior to use. A starting dosage level between 0.1% to 0.3%, based on the weight of the formulation, is recommended.

Storage/handling: Always mix prior to use as the product tends to separate slightly. Mix product and retest for quality after one year from the date of manufacture. For best results, store between 10°C (50°F) to 40°C (104°F). The minimum shelf life in closed containers is 12 months from the date of manufacture. Refer to Material Safety Data Sheet for additional handling information.

Packaging: Drums holding 480 lbs/ 218 kg net or 5 gallon pail holding 42 lbs/ 19 kg net.

Our technical suggestions are based on data from many experiments and cannot represent a warranty of any kind as to their performance in other formulations. Customers must always verify our product's performance in their own systems. This technical data sheet replaces all previous issues.

EN

Revision: 06/14: